



# SOLAR 4" MOTOR RANGE

4DC BRUSH-LESS

**TRACER PUMPS**

LEADING IN MOTION



2023 V1

# DC Brush-less Motor

## 4DC

The 4DC Brush-less motor is designed to work with a TGP Hybrid solar inverter, which is an off-grid solar inverter that supports both AC and DC input. This technology is more efficient at lower voltages and requires fewer PV Panels to operate.

### Technical Data:


- Power Rating - 0.75kW up to 2.2kW
- Voltage - 110V up to 300V
- Max Submersion Depth - 70m
- Operating Speed - 500 - 3000 rpm
- Isolation - Class B
- Material of Construction - 304 Stainless Steel
- Flange Connection - Nema Standard

### Working Conditions:


- Max control box ambient temperature: 35°C

	4DC110/0.75kW	4DC150/1.1kW	4DC200/1.5kW	4DC300/2.2kW
<b>Voltage</b>	110V	150V	200V	300V
<b>Max Amps</b>	12A	12A	12A	12A
<b>Weight</b>	5.8kg	5.8kg	5.8kg	7kg
<b>Required Input Watt</b>	1100W	1500W	2200W	3000W


### Dimensions:



Model	L : Dimension (mm)
4DC110/0.75kW	260
4DC150/1.1kW	260
4DC200/1.5kW	260
4DC300/2.2kW	270



### Exploded View:



No	Description	QTY
1	Retaining Ring	1
2	Baseplate	1
3	Diaphragm	1
4	Casing	1
5	Gasket	4
6	Screw	4
7	Bearing Seat	1
8	Stator	1
9	Bearing	1
10	Rotor	1
11	Bearing	1
12	Screw	4
13	Protection Cap	1
14	Screw	1
15	Rubber Washer	1
16	Frame Seal	1
17	Oil Cylinder	1
18	O Ring	2
19	Mechanical Seal	1
20	Retaining Ring	1
21	Wave Spring	1
22	Screw	2
23	Cable Entry	1



# DC Brush-less Motor

## MINIMUM INVERTER VOLTAGE


### HYBRID/AUTO Mode



Motor Type	Motor Input Voltage	Inverter kW:	Max DC VOC	Max DC Isc	Minimum DC VMPP	Minimum IMPP
DC Brush-less	110	0.75	430	17	340	10
DC Brush-less	150	1.1	430	17	340	10
DC Brush-less	200	1.5	430	17	340	10
DC Brush-less	300	2.2	430	17	340	10

### DC only Mode

Motor Type	Motor Input Voltage	Inverter kW:	Max DC VOC	Max DC Isc	Minimum DC VMPP	Minimum IMPP
DC Brush-less	110	0.75	430	17	110	10
DC Brush-less	150	1.1	430	17	150	10
DC Brush-less	200	1.5	430	17	200	10
DC Brush-less	300	2.2	430	17	300	10



### BLDC PUMP WIRING







# Compatible Wet Ends



## 4SD2







# Compatible Wet Ends

## 4SD2











# Compatible Wet Ends


## 4SD3







# Compatible Wet Ends

## 4SD3











# Compatible Wet Ends

## 4SD4





# Compatible Wet Ends

## 4SD4

